

Fig. 1






Fig. 2



00907 0650/60

Figure 1 is a perspective view of a ring-shaped component 1. The component has a circular rim 2 with a raised edge 5. Four small circular features, labeled 2a, are spaced around the rim. A vertical support structure 3 is attached to the bottom of the ring.

Fig. 5




09705750-110600

009077-05/50/60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	228	169

Fig. 6



APPROVED	J.C. F2.
BY	CLASS, SUBCLASS
DRAFTSMAN	228 169

Fig. 7






Fig. 8



09705750-110600

APPROVED	O.C. FILE	
BY	CLASS	SUBCLASS
DRAFTSMAN	228	149

F i g. 9



F i g . 1 0




Fig. 11





Fig. 12



009077 05450450

Fig. 13






Fig. 14



09705750-110600

Fig. 15



09705750-110600

Fig. 16




Fig. 17





Fig. 18



09705750-110600

009077-05/50/60

24
DRAFTSMAN 228 169
CLASS

Fig. 19 PRIOR ART




Fig. 20 PRIOR ART





Fig. 21 PRIOR ART



09/09/50 110600

Fig. 22 PRIOR ART





Fig. 23 PRIOR ART



09705750-40500

Fig. 24

PRIOR ART




Fig. 25

PRIOR ART





Fig. 26

PRIOR ART



009077-05250460

Fig. 27

PRIOR ART




Fig. 28

PRIOR ART





Fig. 29

PRIOR ART



09705750-110600